Total Work Time_____

Rank_____

MEDICAL OFFICE PROCEDURES (28)

Regional-2009

Multiple Choice (40 @ 5 pts. each)

____(200 pts.)

Production Standards

 Job 1 --Medical Abbreviations (20 @ 5pts)
 (100 pts.)

 Job 2 --Medical Transcription
 (100 pts.)

TOTAL POINTS

____(400 pts.)

Failure to adhere to any of the following rules will result in disqualification:

- 1. Contestant must hand in this test booklet and all printouts. Failure to do so will result in disqualification.
- 2. No equipment, supplies, or materials other than those specified for this event are allowed in the testing area. No previous BPA tests and/or sample tests or facsimile (handwritten, photocopied, or keyed) are allowed in the testing area.
- 3. Electronic devices will be monitored according to ACT standards.

No more than ten (10) minutes orientation No more than 60 minutes actual testing time No more than ten (10) minutes wrap-up

Property of Business Professionals of America. May be reproduced only for use in the Business Professionals of America *Workplace Skills Assessment Program* competition.

General Instructions

- 1. Answer the objective questions using the Scantron scoring sheet provided.
- 2. Make certain this test booklet contains pages 1-11.
- 3. For any problem where you would normally use your reference initials, use your contestant number. Your name or initials should **NOT** appear on any work you submit. **Key your contestant number and job number as a footer in the lower left-hand corner of** <u>all</u> work submitted.
- 4. If you finish before the end of the testing time, notify the proctor. Time may be a factor in determining the winner in the event of a tie.
- 5. When turning in your contest, the jobs should be arranged in numeric order.

Part I: Multiple-Choice Questions (Record answers on scantron sheet)

- 1. Inflammation of the thyroid gland:
 - (a) thyroiditis
 - (b) promania
 - (c) pneumonia
 - (d) hyperemesis
- 2. Medical screening of patients to determine their relative priority of need and the proper place of treatment:
 - (a) hypoxia
 - (b) triage
 - (c) cutaneous
 - (d) epidermis

3. A vaginal inflammation caused by the protozoan parasite trichomonas vagnalis:

- (a) keratin
- (b) trichomonas
- (c) lipoma
- (d) sebum
- 4. Pain in the urethra:
 - (a) urethralgia
 - (b) urethrorrhagia
 - (c) urethrocele
 - (d) urethrostenosis
- 5. Hernia in the urethral wall:
 - (a) urethralgia
 - (b) urethrorrhagia
 - (c) urethrocele
 - (d) urethrostenosis
- 6. Bleeding from the urethra:
 - (a) urethralgia
 - (b) urethrorrhagia
 - (c) urethrocele
 - (d) urethrostenosis
- 7. A stricture of the urethra:
 - (a) urethralgia
 - (b) urethrorrhagia
 - (c) urethrocele
 - (d) urethrostenosis

MEDICAL OFFICE PROCEDURES REGIONAL 2009 Page 4 of 10

- 8. A disorder in which the eyes cannot be directed in a parallel manner toward the same object:
 - (a) follicle
 - (b) strabismus
 - (c) diagnosis
 - (d) vesicle

9. Surgical removal of the stapes, which is a bone of the middle ear:

- (a) impetigo
- (b) tinea
- (c) stapedectomy
- (d) verruca

10. Injury to the joint such as an ankle, knee or wrist involving stretched or torn ligaments:

- (a) deafness
- (b) hernia
- (c) strain
- (d) diopter

11. Inflammation of the spleen:

- (a) keloid
- (b) dermis
- (c) splenitis
- (d) paronychia

12. A sudden, violent involuntary contradiction of a muscle or a group of muscles: also known as a cramp:

- (a) vesicle
- (b) spasm
- (c) pustule
- (d) fissure
- 13. Inflammation of the sinuses:
 - (a) tinea
 - (b) sinusitis
 - (c) scabies
 - (d) furuncle

14. Closing a wound or incision by stitching or a similar means:

- (a) suturing
- (b) impetigo
- (c) vertebra
- (d) thorax

•

MEDICAL OFFICE PROCEDURES REGIONAL 2009 Page 5 of 10

15. Pain caused by the muscles tearing away from the tibia:

- (a) sternum
- (b) hyoid
- (c) axial
- (d) Shin splints
- 16. Inflammation of the retina:
 - (a) abbduction
 - (b) transverse
 - (c) Colles fracture
 - (d) retinitis

17. Any position in which the patient is lying down:

- (a) adduction
- (b) recumbent
- (c) impacted
- (d) compound

18. A specialist in diagnosing, treating, and correcting disorders of the feet:

- (a) podiatrist
- (b) eversion
- (c) flexion
- (d) orthopedics

19. Inflammation of the visceral and parietal pleura in the thoracic cavity:

- (a) pleurisy
- (b) pituitary
- (c) thymus
- (d) pancreas
- 20. Surgical removal of the rectum:
 - (a) cyanosis
 - (b) venotomy
 - (c) proctectomy
 - (d) lipoproteins
- 21. Any pus-forming skin disease:
 - (a) tracheotomy
 - (b) pyoderma
 - (c) larynx
 - (d) carbon

MEDICAL OFFICE PROCEDURES REGIONAL 2009 Page 6 of 10

- 22. Loss of sensation and voluntary muscle movements through disease or injury to the muscle's nerve supply:
 - (a) lumen
 - (b) paralysis
 - (c) alveolus
 - (d) sputum

23. A plant or animal that lives on or within another living organism at the expense of that organism:

- (a) naris
- (b) brocus
- (c) sodium
- (d) parasite

24. Involving one ear:

- (a) polyuria
- (b) meatotomy
- (c) enuresis
- (d) monaural

25. The substance secreted by the mucous membranes:

- (a) lithotomy
- (b) mucus
- (c) pyelitis
- (d) pyuria

26. An acute viral disease characterized by swelling of the parotid glands:

- (a) dysuria
- (b) mumps
- (c) diuretic
- (d) nocturia

27. Muscle tenderness or pain:

- (a) myalgia
- (b) polyuria
- (c) dysuria
- (d) oliguria

28. A pathologic change of the tissues due to disease or injury:

- (a) lesion
- (b) oliguria
- (c) nocturia
- (d) stasis

MEDICAL OFFICE PROCEDURES REGIONAL 2009 Page 7 of 10

29. Inflammation of the larynx:

- (a) aphasia
- (b) laryngitis
- (c) shingles
- (d) idiopathic

30. Surgical removal of fat beneath the skin:

- (a) meningocele
- (b) lipectomy
- (c) pica
- (d) syncope

31. The prolonged or abnormal inability to sleep:

- (a) aphasia
- (b) lethargy
- (c) insomnia
- (d) glioma

32. An abnormally raised or thickened scar that is usually smooth and shiny:

- (a) keloid
- (b) hypoxia
- (c) Petit mal
- (d) neuralgia

33. The loss of a large amount of blood in a short time:

- (a) rale
- (b) hemorrhage
- (c) reflux
- (d) typhoid

34. To control bleeding:

- (a) sciatica
- (b) scotoma
- (c) hemostasis
- (d) primipara

35. Inflammation of the liver:

- (a) allogenic
- (b) icterus
- (c) hepatitis
- (d) injection

MEDICAL OFFICE PROCEDURES REGIONAL 2009 Page 8 of 10

36. Protrusion of part of the stomach through the esophageal sphincter in the diaphragm:

- (a) kyphosis
- (b) hernia
- (c) clubbing
- (d) exostosis

37. Excessive vomiting:

- (a) alopecia
- (b) ankylosis
- (c) curettage
- (d) hyperemesis

38. The abnormal formation of fibrous tissue:

- (a) anomaly
- (b) cyst
- (c) ileus
- (d) fibrosis

39. Rapid, random, and ineffective contractions of the heart:

- (a) amebic
- (b) obesity
- (c) otitis media
- (d) fibrillation
- 40. Increased intraocular pressure that damages the optic nerve and may cause the loss of peripheral vision and eventually blindness:
 - (a) diopter
 - (b) glaucoma
 - (c) cystolith
 - (d) hordeolum

Job 1 – Suffixes And Prefixes

Below are frequently used Suffixes and Prefixes. Write out the correct meaning of the suffix or prefix provided. (*Attach to Score Sheet*)

SUFFIXES

1. tomy	1.
2. scopy	2.
3. logy	3.
4. ia	4.
5. gram	5.
6. itis	6.
7. al	7.
8. ism	8.
9. oid	9.
10. oma	10.
PREFIXES	
11. trans	11.
12. anti	12.
13. dia	13.
14 dys	14.
15. peri	15.
16. sub	16.
17. epi	17.
18. mega	18.
19. endo	19.

Job 2 - Medical Transcription – *Examination*- Please key the following in SOAP report format. (*Attach to Score Sheet*)

Thank you for referring Joey Jones a male born on 4/2/1977. This patient who was seen on September 3, 2008 at KU Med West about a possible hearing loss in the right ear or just a feeling of blockage. He seems to feel that he does not hear as well, especially with regard to clarity of the spoken word and especially when hearing in background ambient sound. No history of noise exposure; no history of imbalance, and tinnitus is only a minimal buzzing of intermittent nature.

The examination revealed a normal ear, nose, throat, head, and neck exam.

The Audiometric testing done in the lab does reveal a normal to moderate sensorineural hearing loss in the right ear and a normal to marginal to moderate sensorineural loss in the left ear.

Diagnosis is a marginal to mild sensorineural hearing loss, minimally worse left ear.

Because of the slight asymmetry in the speech area, I am going to send him for an ABR study, although I suspect it will be normal. Hearing loss is not sufficient to warrant amplification at this time but assuming his ABR is normal, I have only recommended reassessment in two years.

Dictation Date: September 5, 2008 Transcription Date: September 11, 2008

Dr. Samantha Newsomth



MEDICAL OFFICE PROCEDURES (28)

Regional - 2009

TOTAL POINTS

_____ (335)

Judges/Graders:

Please double-check and verify all scores!

Property of Business Professionals of America. May be reproduced only for use in the Business Professionals of America *Workplace Skills Assessment Program* competition.

General Instructions

- 1. Answer the objective questions using the Scantron scoring sheet provided.
- 2. Make certain this test booklet contains pages 1-11.
- 3. For any problem where you would normally use your reference initials, use your contestant number. Your name or initials should **NOT** appear on any work you submit. **Key your contestant number and job number as a footer in the lower left-hand corner of** <u>all</u> work submitted.
- 4. If you finish before the end of the testing time, notify the proctor. Time may be a factor in determining the winner in the event of a tie.
- 5. When turning in your contest, the jobs should be arranged in numeric order.

1. A	21. B
2. B	22. B
3. B	23. D
4. A	24. D
5. C	25. B
6. B	26. B
7. D	27. A
8. B	28. A
9. C	29. B
10. C	30. B
11. C	31. C
12. B	32. A
13. B	33. B
14. A	34. C
15. D	35. C
16. D	36. B
17. B	37. D
18. A	38. D
19. A	39. D
20. C	40. B

PART I: Multiple-Choice Questions (Record answers on scantron sheet)

Job 1 – Suffixes and Prefixes

Suffixes

1. tomy	1. process of cutting, incision
2. scopy	2process of visually examining
3. logy	3. study of
4. ia	4. condition of
5. gram	5. record
6. itis	6. inflammation
7. al	7. pertaining to
8. ism	8. process
9. oid	9. like, resembling
10. oma	10. tumor
Prefixes	
11. trans	11. across, through
12. anti	12. against
13. dia	13. through, complete
14 dys	14. abnormal, painful, difficult
15. peri	15. around, surrounding
16. sub	16. under, below
17. epi	17. above, upon
18. mega	18. large
19. endo	19. within

Job 2 - Medical Transcription

(See Attached SOAP REPORT) Please refer to Style and Reference Manual for correct spacing.

Scoring: 100 Points

Standards

0 Errors = 100 1 Error = 90 2 Errors = 70 3+ Errors = 0

S.O.A.P. Medical Transcription Form

All Margins: 1"

Patient Name: Joey Jones Date of Birth: 04/02/1977 Date of Exam: 09/03/2008

- SUBJECTIVE: Patient who was seen about possible hearing loss in the right ear, or just a feeling of blockage. He seems to feel that he does not hear as well, especially with regard to clarity of the spoken word and especially when hearing in background ambient sound. No history of noise exposure; no history of imbalance, and tinnitus is only a minimal buzzing of intermittent nature. Initial exam reveals a normal ear, nose, throat, head and neck exam.
- OBJECTIVE: Audiometric testing does reveal a normal to moderate sensorineural hearing loss in the right ear and a normal to marginal to moderate sensorineural loss in the left ear.
- ASSESSMENT: 1. Marginal to mild sensorineural hearing loss, minimally worse left ear.
- PLAN: Because of the slight asymmetry in the speech area, patient will go for an ABR study. Hearing loss is not sufficient to warrant amplification at this time but assuming his ABR is normal reassessment in two years is recommended.

Dr. Samantha Newsomth

SN:(Contestant Number)

D: 09/05/2008 T: 09/11/2008 PCP: KU Med West

Sex: Male